

# Grab and Go!

Simplify administration with a prefilled,  
affixed-microneedle device<sup>1</sup>



 **Fluzone<sup>®</sup>**  
**intradermal**  
**INFLUENZA VACCINE**

**Small. Simple. Smart.**

See one, do one. [Fluzone.com/fluzone-admin.html](http://Fluzone.com/fluzone-admin.html)

Learn administration technique by watching a  
health care professional vaccinate a patient.


Please [click here](#) to see Important Safety Information.

**CPT<sup>®a</sup> Code: 90654**

<sup>a</sup> CPT (Current Procedural Terminology) is a registered  
trademark of the American Medical Association.


# ADMINISTRATION IS COMPLETE IN SIMPLE STEPS

## Position



- Gently shake the device and **remove the needle cap**<sup>1</sup>
- Position the device **between your thumb and middle finger** on the finger pads above the device window<sup>1</sup>
- Keep your **index finger free**<sup>1</sup>

## Pierce




- Place the device lightly against the skin
- **Lightly pierce the skin** perpendicular to the deltoid region<sup>1</sup>

**TIP**

Little to no indentation of the skin should occur

## Press



- With little pressure, **use your index finger to gently press the plunger** to inject the vaccine<sup>1</sup>

**TIP**

When the plunger stops, vaccination is complete

## Activate Needle Shield and Dispose



- **Remove the microneedle** from the skin and direct it away from you and others<sup>1</sup>
- **Push very firmly** with your thumb on the plunger to **activate the needle shield**<sup>1</sup>
- **Dispose of device** in sharps container

**TIP**

Excessive pressure on the plunger will prematurely activate the needle shield


For more information about **Fluzone Intradermal vaccine**, visit [Fluzone.com](https://www.fluzone.com)

Please [click here](#) to see Important Safety Information.


## WHAT MOST PATIENTS EXPERIENCE

Because the immune response occurs near the surface of the skin, **patients are likely to have a visible reaction where the vaccine was injected.**<sup>1</sup>


### Possible injection-site reactions include:



**Example 1:**  
Bump with no redness



**Example 2:**  
Redness without a bump




**Example 3:**  
Redness with a bump

Illustrations are for visual reference only. Injection-site reactions can vary for each patient.

### WHERE IT'S INJECTED IS WHY IT WORKS DIFFERENTLY

Fluzone Intradermal vaccine is different from a standard influenza vaccine because **it is injected into the skin instead of deeper into the arm muscle.**<sup>1-3</sup>



Epidermis  
Dermis

Subcutaneous tissue

Connective tissue

Muscle

Image not drawn to scale.

Talk to your patients about the reactions they might experience, such as a **raised bump, redness, swelling, and sometimes pain and itching**, and assure them that reactions generally resolve on their own in **3 to 7 days.**<sup>2,4</sup>

 **Fluzone<sup>®</sup>**  
**intradermal**  
**INFLUENZA VACCINE**

**Small. Simple. Smart.**

Please [click here](#) to see Important Safety Information.

## IMPORTANT SAFETY INFORMATION

### INDICATION

Fluzone Intradermal vaccine is indicated for active immunization for the prevention of influenza disease caused by influenza A subtype viruses and type B virus contained in the vaccine.

Fluzone Intradermal vaccine is approved for use in persons 18 through 64 years of age.

### SAFETY INFORMATION

Erythema, induration, swelling, and pruritus at the injection site occur more frequently with Fluzone Intradermal vaccine than with Fluzone vaccine. Other adverse reactions to Fluzone Intradermal vaccine include pain at the injection site; headache, myalgia, and malaise. Adverse reactions other than those listed above may occur. Fluzone Intradermal vaccine should not be administered to anyone with a known hypersensitivity (eg, anaphylaxis) to any vaccine component, including egg protein, or to a previous dose of any influenza vaccine.

If Guillain-Barré syndrome has occurred within 6 weeks following previous influenza vaccination, the decision to give Fluzone Intradermal vaccine should be based on careful consideration of the potential benefits and risks. Vaccination with Fluzone Intradermal vaccine may not protect all individuals.

Before administering Fluzone Intradermal vaccine, please [click here](#) to see full Prescribing Information.

To order Fluzone Intradermal vaccine or to learn about the Fluzone Partners Program, please log onto [VaccineShope.com](http://VaccineShope.com)<sup>®</sup> or call **1-800-VACCINE** (1-800-822-2463).

Fluzone Intradermal vaccine is manufactured and distributed by Sanofi Pasteur Inc.

**References:** **1.** Fluzone Intradermal vaccine [Prescribing Information]. Swiftwater, PA: Sanofi Pasteur Inc.; 2014. **2.** Laurent PE, Bonnet S, Alchas P, et al. Evaluation of the clinical performance of a new intradermal vaccine administration technique and associated delivery system. *Vaccine*. 2007;25:8833-8842. **3.** Immunization Action Coalition. Administering vaccines: dose, route, site, and needle size. <http://www.immunize.org/catg.d/p3085.pdf>. Accessed April 14, 2014. **4.** Sanofi Pasteur Inc. Data on file (FID31 Fluzone Intradermal Vaccine Phase III Clinical Study Report), 2010. MKT20341.

