



1060 Holland Dr., Suite A
Boca Raton, FL 33487
Nationwide: (877) 722-6339
Local: (561) 288-9028
Fax: (561) 288-3929
<http://www.claritydiagnostics.com>

Safety Data Sheet

Section 1: Identification

Product Name: Clarity Fecal Occult Blood Liquid Controls

Synonyms: DTG-FOBCTLS

CAS Number: 26628-22-8

Manufacturer: Clarity Diagnostics, LLC

Address: 1060 Holland Dr. Suite A Boca Raton, FL 33487

Contact: 1(877) 722-6339

Recommended use: The Clarity one-step immunological fecal occult blood test is a test for professional use (Laboratories and Physician's offices). Clarity one-step immunological fecal occult blood test is a rapid, convenient and odorless qualitative, sandwich dye conjugative immunoassay for the determination of human hemoglobin in feces and is a useful aid in the diagnosis and therapy of gastrointestinal disorders.

Section 2: Hazard(s) Identification

GHS Classification:

Health	Environmental	Physical
N/A	N/A	Yellow Liquid

GHS Label:

Symbols	
Hazard Statements Non Flammable Not Fatal if inhaled Causes irritant skin	Precautionary Statements Very Toxic if Swallowed Contact with acid liberates very toxic gases Do not breathe vapors Wear protective eye and face protection Wear gloves.

Store at room temperature

Section 3: Composition/Information on Ingredients

Component	CAS Number	Weight
Sodium Azide	26628-22-8	.05
See Section 8 For Exposure Limits		

Section 4: First-Aid Measures

Skin: In case of contact. Flush with copious amounts of water for at least 15 minutes. Remove contaminated clothing and shoes. Call a physician.

Inhalation: Remove to Fresh Air. If breathing becomes difficult, refer to a physician

Ingestion: May be harmful if swallowed in large quantities. Wash out mouth with water provided person is conscious. Call a physician.

Eye Contact: Rinse with copious amounts of water for 15 Minutes.

Section 5: Fire-Fighting Measures

Suitable Extinguishing Media: Suitable type for surrounding materials

Fire Fighting Procedures: Small fire: Use DRY chemical powder. Large Fire: Use Water Spray, Fog, or Foam. Do Not use water jet.

Unusual Fire and Explosion Hazards: None Known

Combustion Products: None known

Section 6: Accidental Release Measures

Accidental release measures: Wear respirator, chemical safety goggles, rubber boots and heavy rubber gloves. Ventilate area. Absorb spill. Wash spill site after material pick up is complete with detergent and water.

Section 7: Handling and Storage

Handling: NIOSH/MSHA approved respirator. Mechanical exhaust required. Compatible chemical-resistant gloves. Chemical safety goggles. Potentially biohazards material.

Storage: Keep container dry. Keep in a cool place. Ground all equipment containing material. Keep container tightly closed. Keep in cool, well-ventilated place. Highly toxic or infectious materials should be stored in a separate locked safety storage cabinet or room.

Section 8: Exposure Controls/Personal Protection

Exposure Limits: Consult local authorities for acceptable exposure limits.

Engineering Controls: Use process enclosures, local exhaust ventilation, or other engineering controls to keep airborne levels below recommended exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Personal Protective Equipment (PPE): Splash goggles. Lab coat. Dust respirator. Be sure to use an approved/certified respirator or equivalent. Gloves.

Section 9: Physical and Chemical Properties

Flashpoint: N.A

Auto ignition Temperature: N.A.

Boiling Point: N/A

Melting Point: <0.1

Vapor Pressure: <0.1

Vapor Density (Air=1):

% Solubility in Water: Fully Miscible.

Pour Point: Not Available

Molecular Formula: N.A.

Odor/Appearance: Slight

Lower Flammability Limit: N.A.

Upper Flammability Limit: N.A

Specific Gravity: 1.846 (Water=1)

% Volatile: N.A.

Evaporation Rate (Water=1): N.A.

Viscosity: Not Available.

Octanol/Water Partition Coefficient: Not Available

pH: N/A

Molecular Weight: N/A

Section 10: Stability and Reactivity

Stability and reactivity: This product is stable up to the expiration date printed on the label if kept at 35.6-46.4°F (2-8°C) Non- reactive within this kit.

Hazardous Reactions/Decomposition Products: Will not occur/None known

Section 11: Toxicological Information

Signs and Symptoms of Overexposure: No effects of overexposure

Acute Effects:

Eye Contact: May cause conjunctival irritation.

Skin Contact: May cause reddening. May cause irritant skin reaction.

Inhalation: Not Considered Health Risk

Ingestion: May cause irritant conditions if swallowed.

Target Organ Effects: None

Chronic Effects: None

Medical Conditions Aggravated by Exposure: N/A

Acute Toxicity Values: N/A

Section 12: Ecological Information* (non-mandatory)

- No ecological information available

Section 13: Disposal Considerations* (non-mandatory)

Appropriate Methods of Disposal

The above product contains a small amount of Sodium Azide (0.05%) as a preservative. If disposed by sink, flush with generous amounts of water to prevent accumulation of potentially explosive compounds. Disposal should be made in accordance with existing disposal practices. Observe all Federal, State and Local law.

Section 14: Transport Information* (non-mandatory)

Transport Precautions	Consult applicable regulation when transporting this product
Additional Information	Follow the instructed guidelines listed in package for proper transportation.

Section 15: Regulatory Information* (non-mandatory)

Federal and State Regulations	The FDA and CDC emphasize the importance of practicing good microbiological laboratory techniques when handling products manufactured from human source materials. The FDA recommends the use of Biosafety Level 2 techniques prescribed in the CDC/NIH manual of "Biosafety in Microbiological and Biochemical Laboratories, 1984." It is known that some materials negative for HbsAg by radioimmunoassay is potentially infectious and should be treated as if capable of infecting the handlers. The possibility of contracting Human Immunodeficiency Virus (HIV - 1) infection from human material should be taken seriously. Hepatitis virus or other infectious agents are absent from the materials used in the production of in vitro diagnostic products. However, it must be noted, "there has been no known reported cases of HIV - 1 transmission by contact with in vitro diagnostic products" (FDA letter of December 6, 1985).
Other Regulations	OSHA; Hazardous by definition of Hazard Communication Standard (29 CFR 1910.1200)
Risk Phrases	None

Section 16: Other Information

Other Precautions: No other precautions needed. Clarity Diagnostics provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the materials contained in this kit by a properly trained person using this product. Clarity Diagnostics shall not be held liable for any damage resulting from handling or use.

- **WARNING: URINE DONORS HAVE TESTED FOR HbsAG AND HIV. HOWEVER, HANDLE AS IF CAPABLE OF BEING INFECTIOUS.**
- **DIAGNOSTIC USE ONLY NOT FOR INTERNAL USE BY HUMANS OR ANIMALS.**
- **IN VITRO DIAGNOSTIC USE ONLY**

*Note: Since other Agencies regulate this information, OSHA will not be enforcing Sections 12 through 15(29 CFR 1910.1200(g)(2)).



1060 Holland Dr: Suite A
 Boca Raton, FL 33487
 Nationwide: (877) 722-6339
 Local: (561) 288-9028
 Fax: (561) 288-3929
<http://www.claritydiagnostics.com>

Safety Data Sheet

Section 1: Identification

Product Name: Clarity Immunological Fecal Occult Blood Test with Sample Collection Tube
Synonyms: DTG-FOB01, DTG-FOB01KIT, DTG-FOB02, DTG-FOB30, DTG-FOB50, DTG-FOBPPK25, OTC-IFOBT
CAS Number: N/A
Manufacturer: Clarity Diagnostics, LLC
Address: 1060 Holland Dr. Suite A Boca Raton, FL 33487

Contact: 1(877) 722-6339

Recommended use: A rapid, convenient and odorless qualitative, sandwich dye conjugate immunoassay for the determination of hemoglobin in feces and is a useful aid in the diagnosis and therapy of gastrointestinal disorders.

Section 2: Hazard(s) Identification

GHS Classification:

Health	Environmental	Physical
N/A	N/A	N/A

GHS Label:

Symbols	
Hazard Statements Non Flammable Not Fatal if inhaled Lead and other heavy metals not used in/on device.	Precautionary Statements Wear protective eye and face protection Wear gloves.

Section 3: Composition/Information on Ingredients

Component	CAS Number	Weight
N/A	N/A	N/A
See Section 8 For Exposure Limits		

Section 4: First-Aid Measures

Eyes: Rinse eyes if contacted by desiccant granules or buffer solution.

Ingestion: If ingested, contact physician for further care.

Section 5: Fire-Fighting Measures

Suitable Extinguishing Media: Use Media appropriate for surrounded materials

Fire Fighting Procedures: Water, CO₂, Dry Chemical, or foam.

Unusual Fire and Explosion Hazards: None Known

Combustion Products: None

Section 6: Accidental Release Measures

Accidental release measures: Spilled buffer should be wiped up and area cleaned; If spilled, refer to your federal, state, and local requirements for proper dispose of product. Wash down drain and flush with excess water for liquid spill.

Section 7: Handling and Storage

Handling: Room temperature storage for product longevity – more extreme conditions do not present safety hazard

Section 8: Exposure Controls/Personal Protection

Exposure Limits

Components: None

Engineering Controls: None

Personal Protective Equipment (PPE): Refer to product insert for appropriate PPE during use. Applicable PPE for use environment.

Eye Protection: Wear Safety Glasses or full face shield

Skin Protection: Wear protective clothing and gloves, remove all clothing if contaminated

Respiratory Protection: None required

Section 9: Physical and Chemical Properties

Flashpoint: N.A

Auto Ignition Temperature: N.A.

Boiling Point: N.A

Melting Point:<0.1

Vapor Pressure:<0.1

Vapor Density (Air=1):

% Solubility in Water:N.A.

Pour Point: N.A.

Molecular Formula: N.A.

Odor/Appearance: Odorless solid/ Plastic Cassette Sealed in foil pouch.

Lower Flammability Limit: N.A.

Upper Flammability Limit: N.A

Specific Gravity:<0.1

% Volatile: N.A.

Evaporation Rate (Water=1): N.A.

Viscosity: N.A.

Octanol/Water Partition Coefficient: N.A

pH: N.A.

Molecular Weight: N.A

Section 10: Stability and Reactivity

Stability and reactivity: Stable. No dangerous reactions known for device. See insert or Certificate of Analysis for use of individual product.

Hazardous Reactions/Decomposition Products: Will not occur/Products and incompatibility are not known

Section 11: Toxicological Information

Signs and Symptoms of Overexposure: No effects of overexposure

Acute Effects: None

Eye Contact: May cause conjunctival irritation.

Skin Contact: May cause irritant skin reaction.

Inhalation: Granules within desiccant packet are considered nontoxic.

Ingestion: May cause irritant conditions if swallowed.

Target Organ Effects: None

Chronic Effects: None

Medical Conditions Aggravated by Exposure: N/A

Acute Toxicity Values: N/A

Section 12: Ecological Information* (non-mandatory)

- No ecological information available

Section 13: Disposal Considerations* (non-mandatory)

Appropriate Methods of Disposal	Device itself may be disposed as solid waste. Devices tested with patient samples should be handled as potentially biohazardous materials in accordance with Federal, State, and Local Requirements.
---------------------------------	--

Section 14: Transport Information* (non-mandatory)

Transport Precautions	Consult applicable regulation when transporting this product
Additional Information	Follow the instructed guidelines listed in package for proper transportation.

Section 15: Regulatory Information* (non-mandatory)

Not restricted for safety reasons

Section 16: Other Information

Other Precautions: No other precautions needed. Clarity Diagnostics provides the information contained herein in good faith but makes no representation as to its comprehensiveness or accuracy. This document is intended only as a guide to the appropriate precautionary handling of the materials contained in this kit by a properly trained person using this product. Clarity Diagnostics shall not be held liable for any damage resulting from handling or use.

*Note: Since other Agencies regulate this information, OSHA will not be enforcing Sections 12 through 15(29 CFR 1910.1200(g)(2)).