

Revision date: 27-Oct-2016 Version: 4.1 Page 1 of 9

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND THE COMPANY/UNDERTAKING

Product Identifier

Material Name: Methylprednisolone Sodium Succinate for Injection, USP

Trade Name: Solu-Medrol; Solu-Medrone; Solu-Moderin

Chemical Family: Mixture

Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Intended Use: Pharmaceutical product used as anti-inflammatory

Details of the Supplier of the Safety Data Sheet

Pfizer Inc Pfizer Pharmaceuticals Group 235 East 42nd Street New York, New York 10017

1-800-879-3477

Emergency telephone number: CHEMTREC (24 hours): 1-800-424-9300 Contact E-Mail: pfizer-MSDS@pfizer.com Pfizer Ltd Ramsgate Road Sandwich, Kent CT13 9NJ

United Kingdom +00 44 (0)1304 616161

Emergency telephone number:

International CHEMTREC (24 hours): +1-703-527-3887

2. HAZARDS IDENTIFICATION

Classification of the Substance or Mixture

GHS - Classification

Reproductive Toxicity: Category 1A

Specific target organ systemic toxicity (repeated exposure): Category 2

US OSHA Specific - Classification

Physical Hazard: Combustible Dust

Label Elements

Signal Word: Danger

Hazard Statements: H373 - May cause damage to organs through prolonged or repeated exposure H360D - May

damage the unborn child

May form combustible dust concentrations in air

Precautionary Statements: P201 - Obtain special instructions before use

P202 - Do not handle until all safety precautions have been read and understood

P260 - Do not breathe dust/fume/gas/mist/vapors/spray P281 - Use personal protective equipment as required

P308 + P313 - IF exposed or concerned: Get medical attention/advice

P314 - Get medical attention/advice if you feel unwell

P405 - Store locked up

P501 - Dispose of contents/container in accordance with all local and national regulations

Material Name: Methylprednisolone Sodium Succinate for Page 2 of 9

Injection, USP

Revision date: 27-Oct-2016 Version: 4.1



Other Hazards An Occupational Exposure Value has been established for one or more of the ingredients (see

Section 8).

Note: This document has been prepared in accordance with standards for workplace safety, which

requires the inclusion of all known hazards of the product or its ingredients regardless of the potential risk. The precautionary statements and warning included may not apply in all cases.

Your needs may vary depending upon the potential for exposure in your workplace.

3. COMPOSITION / INFORMATION ON INGREDIENTS

Hazardous

Ingredient	CAS Number	EU EINECS/ELINCS List	GHS Classification	%
Benzyl Alcohol	100-51-6	202-859-9	Acute Tox.4 (H302)	<1.0
			Acute Tox.4 (H332)	
Methylprednisolone Sodium Succinate	2375-03-3	219-156-8	Repr. 1A (H360D)	67-87
			STOT RE 2 (H373)	

Ingredient	CAS Number	EU	GHS Classification	%
		EINECS/ELINCS		
		List		
Sodium phosphate, monobasic	7558-80-7	231-449-2	Not Listed	*
Sodium phosphate, dibasic	7558-79-4	231-448-7	Not Listed	*
Lactose	63-42-3	200-559-2	Not Listed	*

Additional Information: * Proprietary

Ingredient(s) indicated as hazardous have been assessed under standards for workplace

safety.

In accordance with 29 CFR 1910.1200, the exact percentage composition of this mixture has

been withheld as a trade secret.

For the full text of the CLP/GHS abbreviations mentioned in this Section, see Section 16

4. FIRST AID MEASURES

Description of First Aid Measures

Eye Contact: Flush with water while holding eyelids open for at least 15 minutes. Seek medical attention

immediately.

Skin Contact: Remove contaminated clothing. Flush area with large amounts of water. Use soap. Seek

medical attention.

Ingestion: Never give anything by mouth to an unconscious person. Wash out mouth with water. Do not

induce vomiting unless directed by medical personnel. Seek medical attention immediately.

Material Name: Methylprednisolone Sodium Succinate for Page 3 of 9

Injection, USP

Revision date: 27-Oct-2016 Version: 4.1

Inhalation: Remove to fresh air and keep patient at rest. Seek medical attention immediately.

Most Important Symptoms and Effects, Both Acute and Delayed

Symptoms and Effects of For information on potential signs and symptoms of exposure, See Section 2 - Hazards

Exposure: Identification and/or Section 11 - Toxicological Information.

Medical Conditions None known

Aggravated by Exposure:

Indication of the Immediate Medical Attention and Special Treatment Needed

Notes to Physician: None

5. FIRE FIGHTING MEASURES

Extinguishing Media: Extinguish fires with CO2, extinguishing powder, foam, or water.

Special Hazards Arising from the Substance or Mixture

Hazardous Combustion Formation

Products:

Formation of toxic gases is possible during heating or fire.

Fire / Explosion Hazards: Fine particles (such as dust and mists) may fuel fires/explosions.

Advice for Fire-Fighters

During all fire fighting activities, wear appropriate protective equipment, including self-contained breathing apparatus.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures

Personnel involved in clean-up should wear appropriate personal protective equipment (see Section 8). Minimize exposure.

Environmental Precautions

Place waste in an appropriately labeled, sealed container for disposal. Care should be taken to avoid environmental release.

Methods and Material for Containment and Cleaning Up

Measures for Cleaning /

Collecting:

Contain the source of spill if it is safe to do so. Collect spilled material by a method that controls dust generation. A damp cloth or a filtered vacuum should be used to clean spills of

dry solids. Clean spill area thoroughly.

Additional Consideration for

Large Spills:

Non-essential personnel should be evacuated from affected area. Report emergency

situations immediately. Clean up operations should only be undertaken by trained personnel.

7. HANDLING AND STORAGE

Precautions for Safe Handling

Minimize dust generation and accumulation. Avoid contact with eyes, skin and clothing. Avoid breathing dust. When handling, use appropriate personal protective equipment (see Section 8). Wash thoroughly after handling. Releases to the environment should be avoided. Review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure or environmental releases. Potential points of process emissions of this material to the atmosphere should be controlled with dust collectors, HEPA filtration systems or other equivalent controls.

Conditions for Safe Storage, Including any Incompatibilities

Storage Conditions: Store as directed by product packaging.

Specific end use(s): Pharmaceutical drug product

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Material Name: Methylprednisolone Sodium Succinate for Page 4 of 9

Injection, USP

Revision date: 27-Oct-2016 Version: 4.1

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to available public information for specific member state Occupational Exposure Limits.

Benzyl Alcohol

5.0 mg/m³ **Bulgaria OEL - TWA** Czech Republic OEL - TWA 40 mg/m³ **Finland OEL - TWA** 10 ppm 45 mg/m³ Latvia OEL - TWA 5 mg/m³

Lithuania OEL - TWA 5 mg/m³ **Poland OEL - TWA** 240 mg/m³

Methylprednisolone Sodium Succinate

4 µg/m³, Skin Pfizer OEL TWA-8 Hr:

Exposure Controls

Engineering Controls: Engineering controls should be used as the primary means to control exposures. General

room ventilation is adequate unless the process generates dust, mist or fumes. Keep airborne

contamination levels below the exposure limits listed above in this section.

Personal Protective

Refer to applicable national standards and regulations in the selection and use of personal Equipment: protective equipment (PPE). Contact your safety and health professional or safety equipment

supplier for assistance in selecting the correct protective clothing/equipment based on an assessment of the workplace conditions, other chemicals used or present in the workplace and

specific operational processes.

Hands: Impervious disposable gloves (e.g. Nitrile, etc.) (double recommended) if skin contact with drug

product is possible and for bulk processing operations. (Protective gloves must meet the

standards in accordance with EN374, ASTM F1001 or international equivalent.)

Wear safety glasses or goggles if eye contact is possible. (Eye protection must meet the Eyes:

standards in accordance with EN166, ANSI Z87.1 or international equivalent.)

Wear impervious protective clothing to prevent skin contact - consider use of disposable Skin:

clothing where appropriate. (Protective clothing must meet the standards in accordance with

EN13982, ANSI 103 or international equivalent.)

Respiratory protection: Under normal conditions of use, if the applicable Occupational Exposure Limit (OEL) is

> exceeded, wear an appropriate respirator with a protection factor sufficient to control exposures to below the OEL (e.g. particulate respirator with a full mask, P3 filter). (Respirators must meet the standards in accordance with EN136, EN143, ASTM F2704-10 or international equivalent.)

PHYSICAL AND CHEMICAL PROPERTIES

Powder White **Physical State:** Color:

No data available. Odor: No data available. **Odor Threshold:**

Molecular Formula: Mixture **Molecular Weight:** Mixture

Soluble: Alcohols **Solvent Solubility:** Water Solubility: No data available Solubility: Soluble: Water pH: No data available. **Melting/Freezing Point (°C):** No data available **Boiling Point (°C):** No data available. Partition Coefficient: (Method, pH, Endpoint, Value)

Sodium phosphate, dibasic

No data available

Material Name: Methylprednisolone Sodium Succinate for Page 5 of 9

Injection, USP

Revision date: 27-Oct-2016 Version: 4.1

9. PHYSICAL AND CHEMICAL PROPERTIES

Sodium phosphate, monobasic

No data available

Lactose

No data available

Methylprednisolone Sodium Succinate

No data available **Methylprednisolone**

Predicted 7.4 Log D 1.99

Benzyl Alcohol No data available

Decomposition Temperature (°C): No data available.

Evaporation Rate (Gram/s):

Vapor Pressure (kPa):

Vapor Density (g/ml):

Relative Density:

No data available

Flammablity:

Autoignition Temperature (Solid) (°C):

Flammability (Solids):

Flash Point (Liquid) (°C):

Upper Explosive Limits (Liquid) (% by Vol.):

Lower Explosive Limits (Liquid) (% by Vol.):

No data available
No data available

10. STABILITY AND REACTIVITY

Reactivity: No data available

Chemical Stability: Stable under normal conditions of use.

Possibility of Hazardous Reactions

Oxidizing Properties: No data available

Conditions to Avoid: Fine particles (such as dust and mists) may fuel fires/explosions. **Incompatible Materials:** As a precautionary measure, keep away from strong oxidizers

Hazardous Decomposition No data available

Products:

11. TOXICOLOGICAL INFORMATION

Information on Toxicological Effects

General Information: The information included in this section describes the potential hazards of various forms of the

active ingredients. The remaining information describes the potential hazards of the individual

ingredients.

Short Term: May cause eye irritation (based on components) . May be harmful if absorbed through the skin.

Long Term: Repeat-dose studies in animals have shown a potential to cause adverse effects on blood and

blood forming organs.

Known Clinical Effects: Adverse clinical reactions include the development of hypersensitivity and/or irritation leading

to rashes, itching, and burning. Clinical use has resulted in hormonal alterations. Drugs of this class may cause Cushing's syndrome, manifested by moon face, obesity, headache, acne, thirst, increased urination, impotence, menstrual irregularities, facial hair growth, and mental

changes.

Acute Toxicity: (Species, Route, End Point, Dose)

Material Name: Methylprednisolone Sodium Succinate for Page 6 of 9

Injection, USP

Revision date: 27-Oct-2016 Version: 4.1

11. TOXICOLOGICAL INFORMATION

Methylprednisolone Sodium Succinate

Rat Oral LD 50 > 5000 mg/kg
Rat Para-periosteal LD 50 718mg/kg
Mouse Intravenous LD 50 953mg/kg
Rat Intraperitoneal LD 50 512mg/kg
Mouse Intraperitoneal LD 50 902mg/kg

Methylprednisolone

Rat Oral LD 50 > 2000 mg/kg

Mouse Oral LD 50 450mg/kg

Rat Intraperitoneal LD 50 1000mg/kg

Mouse Intraperitoneal LD 50 1409mg/kg

Rat Subcutaneous LD 50 >3000mg/kg

Benzyl Alcohol

Rat Oral LD50 1230 mg/kg Rat Para-periosteal LD50 53mg/kg Rat Inhalation LC50 >4.178mg/L

Acute Toxicity Comments:

A greater than symbol (>) indicates that the toxicity endpoint being tested was not achievable

at the highest dose used in the test.

Irritation / Sensitization: (Study Type, Species, Severity)

Methylprednisolone

Skin Irritation Rabbit No effect
Eye Irritation Rabbit No effect
Skin Sensitization - GPMT Guinea Pig No effect

Benzyl Alcohol

Eye Irritation Rabbit Severe
Skin Irritation Rabbit Minimal
Skin Irritation Guinea Pig Moderate

Repeated Dose Toxicity: (Duration, Species, Route, Dose, End Point, Target Organ)

Methylprednisolone

42 Day(s) Dog Oral 167 μg/kg/day LOAEL Adrenal gland 6 Week(s) Rat Subcutaneous 500 μg/kg/day LOAEL None identified

14 Week(s) Rat Subcutaneous 0.4 μg/kg/day NOAEL Blood forming organs, Adrenal gland 52 Week(s) Rat Subcutaneous 4 μg/kg/day NOAEL Blood forming organs Adrenal gland

Reproduction & Developmental Toxicity: (Study Type, Species, Route, Dose, End Point, Effect(s))

Methylprednisolone Sodium Succinate

Reproductive & Fertility Rat Subcutaneous 40 mg/kg/day LOAEL Fetotoxicity Embryo / Fetal Development Rat Subcutaneous 40 mg/kg/day LOAEL Teratogenic

Methylprednisolone

Material Name: Methylprednisolone Sodium Succinate for Page 7 of 9

Injection, USP

Revision date: 27-Oct-2016 Version: 4.1

11. TOXICOLOGICAL INFORMATION

Reproductive & Fertility Rat Subcutaneous 0.004 mg/kg/day NOAEL Paternal toxicity Reproductive & Fertility Rat Subcutaneous 0.02 mg/kg/day LOAEL Fetotoxicity

Embryo / Fetal Development Rat Subcutaneous 1.0 mg/kg/day LOAEL Fetotoxicity, Teratogenic

Embryo / Fetal Development Mouse Intramuscular 330 mg/kg/day LOAEL Teratogenic Embryo / Fetal Development Rabbit Intramuscular 0.1 mg/kg/day LOAEL Teratogenic

Genetic Toxicity: (Study Type, Cell Type/Organism, Result)

Methylprednisolone Sodium Succinate

Direct DNA Interaction Not applicable Negative In Vitro Cytogenetics Not applicable Negative

Methylprednisolone

Bacterial Mutagenicity (Ames) Salmonella Negative
Unscheduled DNA Synthesis Rat Hepatocyte Negative

Mammalian Cell Mutagenicity Chinese Hamster Ovary (CHO) cells Negative

Direct DNA Interaction Negative

Carcinogen Status: None of the components of this formulation are listed as a carcinogen by IARC, NTP or OSHA.

12. ECOLOGICAL INFORMATION

Environmental Overview: Environmental properties have not been investigated. Releases to the environment should be

avoided.

Toxicity:

Aquatic Toxicity: (Species, Method, End Point, Duration, Result)

Benzyl Alcohol

Pimephales promelas (Fathead Minnow) EPA LC50 96 Hours 460 mg/L

Daphnia magna (Water Flea) OECD EC50 48 Hours 230 mg/L

Pseudokirchneriella subcapitata (Green Alga) OECD EC50 72 Hours 500 mg/L

Benzyl Alcohol

Daphnia magna (Water Flea) OECD 21 Day(s) EC50 66 mg/L Reproduction

Persistence and Degradability:

Biodegradation: (Method, Inoculum, Biodeg Study, Result, Endpoint, Duration, Classification)

Benzyl Alcohol

OECD Activated sludge Ready 92% After 14 Day(s) Ready

Bio-accumulative Potential:

Partition Coefficient: (Method, pH, Endpoint, Value)

Methylprednisolone

Predicted 7.4 Log D 1.99

Mobility in Soil: No data available

Material Name: Methylprednisolone Sodium Succinate for Page 8 of 9

Injection, USP

Revision date: 27-Oct-2016 Version: 4.1

13. DISPOSAL CONSIDERATIONS

Waste Treatment Methods: Dispose of waste in accordance with all applicable laws and regulations. Member State

specific and Community specific provisions must be considered. Considering the relevant known environmental and human health hazards of the material, review and implement appropriate technical and procedural waste water and waste disposal measures to prevent occupational exposure and environmental release. It is recommended that waste minimization be practiced. The best available technology should be utilized to prevent environmental

releases. This may include destructive techniques for waste and wastewater.

14. TRANSPORT INFORMATION

The following refers to all modes of transportation unless specified below.

Not regulated for transport under USDOT, EUADR, IATA, or IMDG regulations.

15. REGULATORY INFORMATION

Safety, Health and Environmental Regulations/Legislation Specific for the Substance or Mixture

Benzyl Alcohol

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Listed

Not Eisted

Not

Sodium phosphate, monobasic

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

Present

Present

231-449-2

Sodium phosphate, dibasic

CERCLA/SARA 313 Emission reporting

CERCLA/SARA Hazardous Substances

and their Reportable Quantities:

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

Present

EU EINECS/ELINCS List

Not Listed

5000 lb

2270 kg

Not Listed

Present

2270 kg

Not Listed

231-448-7

Lactose

Material Name: Methylprednisolone Sodium Succinate for Page 9 of 9

Injection, USP

Revision date: 27-Oct-2016 Version: 4.1

15. REGULATORY INFORMATION

CERCLA/SARA 313 Emission reporting

California Proposition 65

Inventory - United States TSCA - Sect. 8(b)

Australia (AICS):

REACH - Annex IV - Exemptions from the

Present

Present

obligations of Register:

EU EINECS/ELINCS List 200-559-2

Methylprednisolone Sodium Succinate

CERCLA/SARA 313 Emission reporting

California Proposition 65

Australia (AICS):

Present

EU EINECS/ELINCS List

219-156-8

16. OTHER INFORMATION

Text of CLP/GHS Classification abbreviations mentioned in Section 3

Acute toxicity, oral-Cat.4; H302 - Harmful if swallowed Acute toxicity, inhalation-Cat.4; H332 - Harmful if inhaled

Specific target organ toxicity, repeated exposure-Cat.2; H373 - May cause damage to organs through prolonged or repeated exposure

Reproductive toxicity-Cat.1A; H360D - May damage the unborn child

Data Sources: Publicly available toxicity information. Pfizer proprietary drug development information. Safety

data sheets for individual ingredients.

Reasons for Revision: Updated Section 2 - Hazard Identification. Updated Section 8 - Exposure Controls / Personal

Protection.

Revision date: 27-Oct-2016

Product Stewardship Hazard Communication

Prepared by: Pfizer Global Environment, Health, and Safety Operations

Pfizer Inc believes that the information contained in this Material Safety Data Sheet is accurate, and while it is provided in good faith, it is without warranty of any kind, expressed or implied. If data for a hazard are not included in this document there is no known information at this time.

End of Safety Data Sheet